

Hakustrategiat ja hakulausekkeet määrällinen (varsinainen haku 1.12.22)

Cinahl (Ebsco) määrällinen 1.12.2022				
#	Query	Limiters/Expanders	Last Run Via	Results
S21	S9 AND S12 AND S20	Limiters - Published Date: 20150101-20221231 Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	142
S20	S13 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	720,865
S19	"family participa**"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	590
S18	"psycho* network**"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	60
S17	"psycho* factor**"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	525,011
S16	(social or emotional or psycho*) N1 support*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	118,587
S15	(MH "Support, Social+")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	95,536
S14	preoperative* or pre-operative*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	91,752
S13	perioperative*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	51,108
S12	S10 OR S11	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	9,395
S11	"outpatient surg**" or "ambulator* surg**" or "day surg**"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced	9,395

			Search Database - CINAHL	
S10	(MH "Ambulatory Surgery")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	6,952
S9	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	1,130,129
S8	pediatric* or paediatric*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	221,016
S7	infant* or newborn*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	343,279
S6	(MH "Infant+")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	284,399
S5	teenager* or adolescent* or youth	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	206,872
S4	children or kids	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	819,767
S3	child	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	816,902
S2	toddler*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	8,324
S1	(MH "Child+")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	747,805

Database: EBM Reviews - ACP Journal Club <1991 to November 2022>, EBM Reviews - Cochrane Central Register of Controlled Trials <October 2022>, EBM Reviews - Cochrane Database of Systematic Reviews <2005 to November 30, 2022>, EBM Reviews - Database of Abstracts of Reviews of Effects <1st Quarter 2016>

Search Strategy:

-
- 1 toddler*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (2402)
 - 2 child*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (189641)
 - 3 pediatric*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (36491)
 - 4 paediatric*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (71)
 - 5 youth.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (8948)
 - 6 kids.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (1337)
 - 7 infant*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (71119)
 - 8 adolescent*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (150873)
 - 9 teenager*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (1287)
 - 10 new?born*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (32615)
 - 11 1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 (329946)
 - 12 day surg*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (969)
 - 13 ambulator* surg*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (2944)
 - 14 outpatient* surg*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (626)
 - 15 office surg*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (5)
 - 16 12 or 13 or 14 or 15 (3915)
 - 17 perioperative*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (22973)
 - 18 pre?operative*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (45483)
 - 19 social* support*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (10171)
 - 20 psycho* support.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (1764)
 - 21 emotional* support.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (872)
 - 22 psycho* network*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (14)
 - 23 psycho* factor*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (4752)
 - 24 family participa*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (135)
 - 25 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 (78838)
 - 26 11 and 16 and 25 (353)
 - 27 limit 26 to yr="2015 -Current" [Limit not valid in DARE; records were retained] (150)

Medic määrällinen 2.12.2022

laps* last* nuor* teini* teen* toddler* adolescent* infant* kids child* AND päiväkirurg* lyhytkirurg* "ambulatory surg*" "outpatient surg*" "office surg*" "day surg*" AND psycho* social* sosiaali* emotionaali* lähei* perhe* support* tu* 2015
- 4 kpl

APA Psycinfo määrällinen 1.12.2022

Database: APA PsycInfo <1806 to November Week 3 2022>

Search Strategy:

-
- 1 toddler*.mp. (12807)
 - 2 kids.mp. (4965)
 - 3 child*.mp. (881822)
 - 4 new?born*.mp. (41737)
 - 5 infant*.mp. (127534)
 - 6 pe?diatric*.mp. (54798)
 - 7 youth.mp. (115408)
 - 8 adolescent*.mp. (481000)
 - 9 teenager*.mp. (10281)
 - 10 1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 (1250731)
 - 11 day surg*.mp. (172)
 - 12 ambulator* surg*.mp. (190)
 - 13 outpatient surg*.mp. (102)
 - 14 11 or 12 or 13 (374)
 - 15 perioperative*.mp. (1533)
 - 16 pre?operative*.mp. (5722)
 - 17 exp Social Support/ (41858)
 - 18 psycho* support*.mp. (6326)
 - 19 social support*.mp. (92475)
 - 20 psycho* network*.mp. (240)
 - 21 psycho* factor*.mp. (55667)
 - 22 exp Psychosocial Factors/ (148011)
 - 23 emotional* support*.mp. (8690)
 - 24 family participa*.mp. (781)
 - 25 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 (264052)
 - 26 10 and 14 and 25 (68)
 - 27 limit 26 to yr="2015 -Current" (24)

Hakustrategiat ja hakulausekkeet määrällinen (varsinainen haku 1.12.22)

Cinahl (Ebsco) laadullinen 1.12.2022				
#	Query	Limiters/Expanders	Last Run Via	Results
S21	S9 AND S12 AND S20	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced	425

			Search Database - CINAHL	
S20	S13 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	720,865
S19	"family participa**"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	590
S18	"psycho* network**"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	60
S17	"psycho* factor**"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	525,011
S16	(social or emotional or psycho*) N1 support*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	118,587
S15	(MH "Support, Social+")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	95,536
S14	preoperative* or pre-operative*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	91,752
S13	perioperative*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	51,108
S12	S10 OR S11	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	9,395
S11	"outpatient surg**" or "ambulator* surg**" or "day surg**"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	9,395
S10	(MH "Ambulatory Surgery")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	6,952

S9	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	1,130,129
S8	pediatric* or paediatric*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	221,016
S7	infant* or newborn*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	343,279
S6	(MH "Infant+")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	284,399
S5	teenager* or adolescent* or youth	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	206,872
S4	children or kids	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	819,767
S3	child	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	816,902
S2	toddler*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	8,324
S1	(MH "Child+")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	747,805

Database: EBM Reviews - ACP Journal Club <1991 to November 2022>, EBM Reviews - Cochrane Central Register of Controlled Trials <October 2022>, EBM Reviews - Cochrane Database of Systematic Reviews <2005 to November 30, 2022>, EBM Reviews - Database of Abstracts of Reviews of Effects <1st Quarter 2016>

Search Strategy:

-
- 1 toddler*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (2402)
 - 2 child*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (189641)
 - 3 pediatric*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (36491)
 - 4 paediatric*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (71)

- 5 youth.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (8948)
- 6 kids.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (1337)
- 7 infant*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (71119)
- 8 adolescent*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (150873)
- 9 teenager*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (1287)
- 10 new?born*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (32615)
- 11 1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 (329946)
- 12 day surg*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (969)
- 13 ambulator* surg*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (2944)
- 14 outpatient* surg*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (626)
- 15 office surg*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (5)
- 16 12 or 13 or 14 or 15 (3915)
- 17 perioperative*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (22973)
- 18 pre?operative*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (45483)
- 19 social* support*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (10171)
- 20 psycho* support.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (1764)
- 21 emotional* support.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (872)
- 22 psycho* network*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (14)
- 23 psycho* factor*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (4752)
- 24 family participa*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (135)
- 25 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 (78838)
- 26 11 and 16 and 25 (353)

Medic laadullinen 2.12.2022

laps* last* nuor* teini* teen* toddler* adolescent* infant* kids child* AND päiväkirurg* lyhytkirurg* "ambulatory surg*" "outpatient surg*" "office surg*" "day surg*" AND psycho* social* sosiaali* emotionaali* lähei* perhe* support* tu* **31 kpl**

APA Psycinfo laadullinen 1.12.2022

Database: APA PsycInfo <1806 to November Week 3 2022>

Search Strategy:

-
- 1 toddler*.mp. (12807)
 - 2 kids.mp. (4965)

- 3 child*.mp. (881822)
- 4 new?born*.mp. (41737)
- 5 infant*.mp. (127534)
- 6 pe?diatric*.mp. (54798)
- 7 youth.mp. (115408)
- 8 adolescent*.mp. (481000)
- 9 teenager*.mp. (10281)
- 10 1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 (1250731)
- 11 day surg*.mp. (172)
- 12 ambulator* surg*.mp. (190)
- 13 outpatient surg*.mp. (102)
- 14 11 or 12 or 13 (374)
- 15 perioperative*.mp. (1533)
- 16 pre?operative*.mp. (5722)
- 17 exp Social Support/ (41858)
- 18 psycho* support*.mp. (6326)
- 19 social support*.mp. (92475)
- 20 psycho* network*.mp. (240)
- 21 psycho* factor*.mp. (55667)
- 22 exp Psychosocial Factors/ (148011)
- 23 emotional* support*.mp. (8690)
- 24 family participa*.mp. (781)
- 25 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 (264052)
- 26 10 and 14 and 25 (68)

Hakustrategia ja hakulausekkeet (päivityshaku 15.3.24)

Search History: Cinahl

Friday, March 15, 2024 1:00:14 PM

#	Query	Limiters/Expanders	Last Run Via	Results
S44	S13 AND S27 AND S42	Limiters - Publication Date: 20220101-20241231 Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	70
S43	S13 AND S27 AND S42	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	623

S42	S28 OR S29 OR S30 OR S31 OR S32 OR S33 OR S34 OR S35 OR S36 OR S37 OR S38 OR S39 OR S40 OR S41	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	804,255
S41	"clown**"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	289
S40	post call*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	540
S39	"pre call**"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	14
S38	"play**"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	205,547
S37	(MH "Games")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	5,604
S36	(MH "Games")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	5,604
S35	(MH "Music Therapy/NU") OR (MH "Music Therapy (Iowa NIC)")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	6
S34	"family participat**"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	530
S33	"psycho* factors"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	563,862

S32	"psycho* network**"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	70
S31	(MH "Emotional Support (Saba CCC)/NU") OR (MH "Emotional Support (Iowa NIC)")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	4
S30	(MH "Emotional Support (Saba CCC)/NU") OR (MH "Emotional Support (Iowa NIC)")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	4
S29	(MH "Support, Psychosocial")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	99,656
S28	(MH "Support, Social")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	5,429
S27	S14 OR S15 OR S16 OR S17 OR S18 OR S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	43,379
S26	(MH "Preoperative Period/PF")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	63
S25	"pre#operative counsel**"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	358
S24	(MH "Preoperative Care")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	18,847
S23	preoperative education	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	2,069

S22	"perioperative period**"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	2,759
S21	"perioperative counsel**"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	24
S20	"perioperative education"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	120
S19	(MH "Perioperative Care")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	12,621
S18	ambulatory surg*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	8,396
S17	"office surg**"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	53
S16	"outpatient surg**"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	1,023
S15	"day surg**"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	1,761
S14	(MH "Ambulatory Surgery")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	6,950
S13	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	1,157,000

S12	"new born**"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	2,072
S11	"school age child"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	3,956
S10	teenager*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	10,519
S9	Adolescen*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	656,755
S8	(MH "Infant")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	191,225
S7	"kids"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	8,744
S6	"youth"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	62,048
S5	"peadiatric**"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	24
S4	pediatric*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	208,037
S3	"children"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	428,061

S2	"toddler**"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	8,471
S1	(MH "Child, Preschool")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	231,502

Database: EBM Reviews - ACP Journal Club <1991 to February 2024>, EBM Reviews - Cochrane Central Register of Controlled Trials <February 2024>, EBM Reviews - Cochrane Database of Systematic Reviews <2005 to March 13, 2024>, EBM Reviews - Database of Abstracts of Reviews of Effects <1st Quarter 2016>

Search Strategy:

- 1 toddler*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (2681)
- 2 child*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (209977)
- 3 pediatric*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (41260)
- 4 peadiatric*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (74)
- 5 youth.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (10268)
- 6 kids.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (1550)
- 7 infant*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (79712)
- 8 adolescent*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (172731)
- 9 teenager*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (1457)
- 10 new?born*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (37722)
- 11 1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 (368795)
- 12 day surg*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (1074)
- 13 ambulator* surg*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (3230)
- 14 outpatient* surg*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (701)
- 15 office surg*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (6)
- 16 12 or 13 or 14 or 15 (4306)
- 17 perioperative*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (26647)
- 18 pre?operative*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (51344)
- 19 social* support*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (11527)
- 20 psycho* support.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (2098)
- 21 emotional* support.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (1005)
- 22 psycho* network*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (15)
- 23 psycho* factor*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (5456)
- 24 family participa*.mp. [mp=ti, ab, tx, kw, ct, ot, fx, sh, hw] (163)
- 25 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 (89790)
- 26 11 and 16 and 25 (395)
- 27 limit 26 to yr="2022 -Current" [Limit not valid in DARE; records were retained] (45)

Hakuhistoria Medic 15.3.2024

laps* last* nuor* teini* teen* toddler* adolescent* infant* kids child* AND päiväkirurg* lyhytkirurg* "ambulatory surg*" "outpatient surg*" "office surg*" "day surg*" AND psycho* social* sosiaali* emotionaali* lähei* perhe* support* tu* 2022 - 2024 1 kpl

Database: Ovid MEDLINE(R) ALL <1946 to March 14, 2024>

Search Strategy:

- 1 toddler*.mp. (15310)
- 2 exp Child/ (2193738)
- 3 child.mp. (2419233)
- 4 children.mp. (1264282)

- 5 pediatric*.mp. (466833)
 - 6 peadiatric*.mp. (80)
 - 7 youth.mp. (100528)
 - 8 exp Adolescent/ (2237986)
 - 9 adolescent*.mp. (2320927)
 - 10 kids.mp. (8693)
 - 11 exp Infant/ (1269618)
 - 12 infant*.mp. (1418420)
 - 13 teenager*.mp. (17504)
 - 14 new?born*.mp. (849091)
 - 15 1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 (4742386)
 - 16 exp Ambulatory Surgical Procedures/ (13261)
 - 17 day surg*.mp. (3872)
 - 18 ambulator* surg*.mp. (15773)
 - 19 outpatient* surg*.mp. (3137)
 - 20 office surg*.mp. (238)
 - 21 16 or 17 or 18 or 19 or 20 (19536)
 - 22 perioperative.mp. (140681)
 - 23 exp Perioperative Care/ (159374)
 - 24 pre?operative.mp. (361941)
 - 25 pre?operative education.mp. (522)
 - 26 perioperative education.mp. (107)
 - 27 pre?operative counsel*.mp. (1435)
 - 28 pre?operative period*.mp. (12963)
 - 29 perioperative period*.mp. (14688)
 - 30 perioperative counsel*.mp. (67)
 - 31 exp Social Support/ (80844)
 - 32 social Support.mp. (110440)
 - 33 psycho* support*.mp. (13724)
 - 34 exp Psychosocial Support Systems/ (1020)
 - 35 emotional* support*.mp. (9171)
 - 36 psycho* network*.mp. (250)
 - 37 psycho* factor*.mp. (37589)
 - 38 family participat*.mp. (957)
 - 39 22 or 23 or 24 or 25 or 26 or 27 or 28 or 29 or 30 or 31 or 32 or 33 or 34 or 35 or 36 or 37 or 38 (694127)
 - 40 15 and 21 and 39 (1225)
 - 41 limit 40 to yr="2022 -Current" (75)
-

Database: APA PsycInfo <1806 to March Week 3 2024>**Search Strategy:**

- 1 toddler*.mp. (13660)
- 2 child*.mp. (922483)
- 3 pediatric*.mp. (58969)
- 4 peadiatric*.mp. (5)
- 5 youth.mp. (126376)
- 6 kids.mp. (5294)
- 7 infant*.mp. (132018)
- 8 adolescent*.mp. (502418)
- 9 teenager*.mp. (10755)
- 10 new?born*.mp. (42766)
- 11 1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 (1307086)
- 12 day surg*.mp. (179)
- 13 ambulator* surg*.mp. (196)
- 14 outpatient* surg*.mp. (106)
- 15 office surg*.mp. (0)
- 16 12 or 13 or 14 or 15 (389)
- 17 perioperative*.mp. (1718)

- 18** perioperative care.mp. (230)
 - 19** perioperative education.mp. (7)
 - 20** perioperative counsel*.mp. (4)
 - 21** perioperative period*.mp. (262)
 - 22** pre?operative*.mp. (6056)
 - 23** pre?operative care.mp. (808)
 - 24** pre?operative education.mp. (79)
 - 25** pre?operative counsel*.mp. (44)
 - 26** pre?operative period*.mp. (320)
 - 27** exp Social Support/ (45795)
 - 28** social* support*.mp. (99114)
 - 29** psycho* support.mp. (6583)
 - 30** emotional* support.mp. (9127)
 - 31** psycho* network*.mp. (304)
 - 32** exp Psychosocial Factors/ (162578)
 - 33** psycho* factor*.mp. (58474)
 - 34** family participa*.mp. (838)
 - 35** 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 or 28 or 29 or 30 or 31 or 32 or 33 or 34 (286130)
 - 36** 11 and 16 and 35 (73)
 - 37** limit 36 to yr="2022 -Current" (10)
-