

Cinahl 15.6.2023 ja 17.9.2024			
#	Query	Limiters/Expanders	Results
S37	S34 NOT S35	Limiters - Peer Reviewed Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	1,091
S36	S34 NOT S35	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	1,123
S35	S15 AND S16 AND S33	Limiters - Published Date: 20130101-20231231; Exclude MEDLINE records; Publication Type: Meta Analysis, Review, Systematic Review; Language: English, Finnish, German, Swedish Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	247
S34	S15 AND S16 AND S33	Limiters - Published Date: 20130101-20231231; Research Article; Exclude MEDLINE records; Language: English, Finnish, German, Swedish Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	1,281
S33	S17 OR S18 OR S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31 OR S32	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	5,301,947
S32	care OR alleviat* or remed*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	1,643,822
S31	recogni* OR identifiat* or observat*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	469,303
S30	"side effect*" OR "side-effect*"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	53,405
S29	"symptom*" OR "sign*" OR (MH "Signs and Symptoms+")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	2,280,912
S28	"development*"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	665,785
S27	"support*"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	659,698
S26	"relationship*"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	456,106
S25	(MH "Quality of Life+") OR "quality of life" OR "meaningfulness of life"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	244,495
S24	"needs"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	233,142
S23	social* OR psychological* OR psychosocial OR psycho-social OR spiritual* OR sexual*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	1,159,185
S22	(MH "Advance Care Planning") OR "advance* care plan" OR acp	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	6,694

S21	(MH "Decision Making+") OR "decision making" OR "decision-making"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	189,199
S20	(MH "Education+") OR "educat*"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	1,265,659
S19	"information"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	617,622
S18	"communicat*" OR (MH "Communication+")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	439,124
S17	"interact*" OR "interplay*"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	224,412
S16	S10 OR S11 OR S12 OR S13 OR S14	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	83,379
S15	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	1,205,013
S14	"life-limiting condition*"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	531
S13	(MH "Terminal Care+") OR "terminal care"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	72,526
S12	"end-of-life care" OR "eol-care"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	49,836
S11	(MH "Hospice Care") OR "hospice care"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	24,168
S10	(MH "Palliative Care") OR "palliative care"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	51,345
S9	(MH "Infant, Newborn+") OR "newborn*"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	169,722
S8	(MH "Infant+") OR "infant*"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	335,990
S7	"neonatal*"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	80,611
S6	"pediatric*" OR "paediatric*"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	224,232
S5	"kids"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	9,665
S4	"juvenile*"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	16,925
S3	"teenager*"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	10,924
S2	"youth" OR "adolescent*"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	205,763

S1	(MH "Child+") OR "child*"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	999,875
----	---------------------------	--	---------

Hakuhistoria: Applied Social Sciences Index & Abstracts (ASSIA) 15.6.2023 ja 17.9.2024

noft(child* OR kids OR teenager* OR youth OR adolescent* OR juvenile* OR paediatric* OR
 pediatric* OR neonatal* OR infant* OR newborn*) AND noft("palliative care" OR "hospice care"
 OR "end-of-life care" OR "EoL-care" OR "life-limiting condition*" OR "terminal care") AND
 noft(interact* OR communicat* OR interplay* OR information OR "decision making" OR ACP OR
 "advance care plan*" OR social* OR psychological* spiritual* OR "psycho-social*" OR
 psychosocial OR sexual* OR educat* OR "meaningfulness of life" OR "quality of life" OR needs
 OR relationship* OR support* development* OR symptom* OR sign* OR "side effect*" OR
 physical* OR recogni* OR identifi* OR observat* OR alleviat* OR remedi* OR care) AND
 stype.exact("Scholarly Journals") AND at.exact("Article") AND la.exact("German" OR "English")
 AND PEER(yes)Limits applied

Databases:

Limited by:

Date: From 2013 January 01 to 2023 December 31

Source type:

Scholarly Journals

Document type:

Article

Language:

English, German

Database: APA PsycInfo <1806 to May Week 5 2023>; päivityshaku 17.9.2024

Search Strategy:

- 1 child*.mp. (897678)
- 2 (youth or adolescent*).mp. (545937)
- 3 teenager*.mp. (10462)
- 4 juvenile*.mp. (41676)
- 5 kids.mp. (5072)
- 6 exp Pediatrics/ or pediatric*.mp. or paediatric*.mp. (64301)
- 7 neonatal*.mp. (21162)
- 8 infant*.mp. (129447)
- 9 newborn*.mp. (42263)
- 10 1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 (1295002)
- 11 exp Palliative Care/ or palliative care.mp. (20063)
- 12 hospice care.mp. (2710)
- 13 (end-of-life care or eol-care).mp. (6042)
- 14 terminal care.mp. (4991)
- 15 life-limiting condition*.mp. (237)
- 16 11 or 12 or 13 or 14 or 15 (23328)
- 17 interact*.mp. (519885)
- 18 exp Communication/ or communicat*.mp. (540963)
- 19 interplay*.mp. (25024)
- 20 information.mp. (527645)
- 21 exp Decision Making/ or decision making.mp. or decision-making.mp. (196896)

- 22 (advanced care plan* or acp).mp. (1026)
 - 23 social*.mp. (1143471)
 - 24 (psychosocial* or psycho-social*).mp. (134367)
 - 25 psychological*.mp. (584417)
 - 26 spiritual*.mp. (45526)
 - 27 sexual*.mp. (223141)
 - 28 exp Education/ or educat*.mp. (869081)
 - 29 exp "Quality of Life"/ or meaningfulness of life.mp. (51817)
 - 30 exp Needs/ or needs.mp. (235398)
 - 31 relationship*.mp. (871715)
 - 32 support*.mp. (807416)
 - 33 development*.mp. (1045621)
 - 34 exp Symptoms/ or symptom*.mp. (576227)
 - 35 sign*.mp. (1355259)
 - 36 (side effect* or side-effect*).mp. (58477)
 - 37 recogni*.mp. (271304)
 - 38 identificat*.mp. (141644)
 - 39 observat*.mp. (197020)
 - 40 care.mp. (519261)
 - 41 alleviat*.mp. (23829)
 - 42 remed*.mp. (25024)
 - 43 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 or 28 or 29 or 30 or 31 or 32 or 33 or 34 or 35 or 36 or 37 or 38 or 39 or 40 or 41 or 42 (4534144)
 - 44 10 and 16 and 43 (2874)
 - 45 limit 44 to yr="2013 -Current" (1531)
 - 46 limit 45 to (english or finnish or german or swedish) (1500)
 - 47 limit 46 to (meta analysis or "review" or "systematic review") (71)
 - 48 46 not 47 (1429)
-

Database: Ovid MEDLINE(R) ALL <1946 to June 08, 2023>; päivityshaku 17.9.2024

Search Strategy:

- 1 exp Child/ or child*.mp. (2748747)
- 2 (youth or adolescent*).mp. or exp Adolescent/ (2310634)
- 3 teenager*.mp. (16857)
- 4 juvenile*.mp. (105669)
- 5 kids.mp. (8226)
- 6 exp Pediatrics/ or pediatric*.mp. or paediatric*.mp. (514557)
- 7 neonatal*.mp. (266940)
- 8 exp Infant/ or infant*.mp. (1392122)
- 9 exp Infant, Newborn/ or newborn*.mp. (838038)
- 10 1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 (4826184)
- 11 exp Palliative Care/ or palliative care.mp. (78255)
- 12 exp Hospice Care/ or hospice care.mp. (10197)
- 13 (end-of-life care or eol-care).mp. (14562)
- 14 exp Terminal Care/ or terminal care.mp. (57909)
- 15 life-limiting condition*.mp. (661)
- 16 11 or 12 or 13 or 14 or 15 (124336)

- 17 interact*.mp. (2048825)
 - 18 exp Communication/ or communicat*.mp. (728416)
 - 19 interplay*.mp. (84355)
 - 20 information.mp. (1608416)
 - 21 exp Decision Making/ or decision making.mp. or decision-making.mp. (394731)
 - 22 exp Advance Care Planning/ or advanced care plan*.mp. or acp.mp. (21832)
 - 23 social*.mp. (985029)
 - 24 psychological*.mp. (669369)
 - 25 (psychosocial* or psycho-social*).mp. (128366)
 - 26 spiritual*.mp. (25842)
 - 27 sexual*.mp. (350991)
 - 28 exp Education/ or educat*.mp. (1478514)
 - 29 exp "Quality of Life"/ or meaningfulness of life.mp. (266998)
 - 30 needs.mp. (484216)
 - 31 relationship*.mp. (2202392)
 - 32 support*.mp. (11442417)
 - 33 development*.mp. (3563802)
 - 34 symptom*.mp. (1432433)
 - 35 sign*.mp. (8989428)
 - 36 (side effect* or side-effect*).mp. (336690)
 - 37 recogni*.mp. (963518)
 - 38 identificat*.mp. (819777)
 - 39 exp Observation/ or observat*.mp. (1103371)
 - 40 care.mp. (2570636)
 - 41 alleviat*.mp. (154081)
 - 42 remed*.mp. (75140)
 - 43 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 or 28 or 29 or 30 or 31 or 32 or 33 or 34 or 35 or 36 or 37 or 38 or 39 or 40 or 41 or 42 (22369529)
 - 44 10 and 16 and 43 (15165)
 - 45 limit 44 to yr="2013 -Current" (6402)
 - 46 limit 45 to (english or finnish or german or swedish) (6205)
 - 47 limit 46 to (meta analysis or "review" or "systematic review") (840)
 - 48 46 not 47 (5365)
-

Scopus – hakuhistoria 15.6.2023 ja 17.9.2024

(TITLE-ABS-KEY(child* or kids or teenager* or youth or adolescent* or juvenile* or paediatric* or pediatric* or neonatal* or infant* or newborn*)) AND (TITLE-ABS-KEY("palliative care" or "hospice care" or "end-of-life care" or "EoL-care" or "life-limiting condition*" or "terminal care")) AND ((TITLE-ABS-KEY(interact* or communicat* or interplay* or information or "decision making" or ACP or "advance care plan*" or social* or psychological*) OR TITLE-ABS-KEY(spiritual* or "psycho-social*" or psychosocial or sexual* or educat* or "meaningfulness of life" or "quality of life" or needs or relationship* or support*)) OR TITLE-ABS-KEY(development* or symptom* or sign* or "side effect*" or physical* or recogni* or identificat* or observat* or alleviat* or remed* or care))) AND PUBYEAR > 2012 AND PUBYEAR < 2024 AND PUBYEAR < 2025 AND NOT INDEX(Medline) AND (LIMIT-TO (DOCTYPE,"ar")) AND (LIMIT-TO (LANGUAGE,"English") OR LIMIT-TO (LANGUAGE,"German") OR LIMIT-TO (LANGUAGE,"Swedish"))

Medic-hakuhistoria 9.6.2023 ja 17.9.2024

**laps* nuor* pediatri* child* kids teenager* youth adolescent* juvenile* paediatric* pediatric*
neonatal* infant* newborn* AND saattohoi* palliatiivi* terminaalihoi* "palliative care"
"hospice care" "end-of-life care" "EoL-care" "life-limiting condition*" "terminal care" 2013 -
2023 20 kpl**