

Päivityshaku

Cinahl 27.11.2024

#	Query	Limiters/Expanders	Results
S36	S6 AND S12 AND S35	Limiters - Publication Date: 20230101-20241231; Exclude MEDLINE records; Language: English, Finnish, Swedish Expanders - Apply equivalent subjects Search modes - Proximity	1,470
S35	S13 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31 OR S32 OR S33 OR S34	Expanders - Apply equivalent subjects Search modes - Proximity	2,118,520
S34	(MH "Feedback") OR "feedback"	Expanders - Apply equivalent subjects Search modes - Proximity	55,396
S33	"contentment*"	Expanders - Apply equivalent subjects Search modes - Proximity	8,011
S32	opinion*	Expanders - Apply equivalent subjects Search modes - Proximity	51,712
S31	(MH "Patient Satisfaction+") OR "satisfaction"	Expanders - Apply equivalent subjects Search modes - Proximity	170,803
S30	(MH "Quality of Life") OR "quality of life"	Expanders - Apply equivalent subjects Search modes - Proximity	248,368
S29	"use of health and social services"	Expanders - Apply equivalent subjects Search modes - Proximity	33
S28	"guideline*"	Expanders - Apply equivalent subjects Search modes - Proximity	245,312
S27	"best practice*"	Expanders - Apply equivalent subjects Search modes - Proximity	25,668
S26	(MH "Activities of Daily Living+") OR "activities of daily living" OR IADL OR ADL	Expanders - Apply equivalent subjects Search modes - Proximity	91,350
S25	"coping at home"	Expanders - Apply equivalent subjects Search modes - Proximity	44
S24	(MH "Nursing Homes+") OR "home nurs*"	Expanders - Apply equivalent subjects Search modes - Proximity	34,871
S23	"home care"	Expanders - Apply equivalent subjects Search modes - Proximity	23,350
S22	"social support" OR "family support*" OR (MH "Support, Social+")	Expanders - Apply equivalent subjects Search modes - Proximity	126,400
S21	"care plan*" OR "treatment plan*"	Expanders - Apply equivalent subjects Search modes - Proximity	42,800
S20	(MH "Safety+") OR "safe*"	Expanders - Apply equivalent subjects Search modes - Proximity	507,066
S19	(MH "Geriatric Assessment+") OR "geriatric assess*"	Expanders - Apply equivalent subjects Search modes - Proximity	19,244
S18	(MH "Risk Factors+") OR "risk factor*"	Expanders - Apply equivalent subjects Search modes - Proximity	595,760
S17	(MH "Risk Assessment") OR "risk assessment*"	Expanders - Apply equivalent subjects Search modes - Proximity	185,928
S16	"family participat*" or "family involv*"	Expanders - Apply equivalent subjects Search modes - Proximity	2,186

S15	(MH "Self Care+") OR "self care" OR "self-care"	Expanders - Apply equivalent subjects Search modes - Proximity	80,362
S14	(MH "Patient Education+") OR "patient* educat*" OR "patient* teach*"	Expanders - Apply equivalent subjects Search modes - Proximity	96,982
S13	(MH "Counseling+") OR "counsel*"	Expanders - Apply equivalent subjects Search modes - Proximity	99,944
S12	S7 OR S8 OR S9 OR S10 OR S11	Expanders - Apply equivalent subjects Search modes - Proximity	75,836
S11	(MH "After Care") OR "post discharge care" OR "postdischarge care" OR "post-discharge care"	Expanders - Apply equivalent subjects Search modes - Proximity	22,883
S10	"transition* care" or "care transition*"	Expanders - Apply equivalent subjects Search modes - Proximity	6,990
S9	"hospital discharge"	Expanders - Apply equivalent subjects Search modes - Proximity	15,228
S8	(MH "Discharge Planning+") OR "discharge plan*"	Expanders - Apply equivalent subjects Search modes - Proximity	7,550
S7	"patient* discharge" OR (MH "Patient Discharge+")	Expanders - Apply equivalent subjects Search modes - Proximity	39,451
S6	S1 OR S2 OR S3 OR S4 OR S5	Expanders - Apply equivalent subjects Search modes - Proximity	1,213,349
S5	"older patient*" or "older people"	Expanders - Apply equivalent subjects Search modes - Proximity	49,167
S4	"gerontolog*"	Expanders - Apply equivalent subjects Search modes - Proximity	44,070
S3	(MH "Geriatrics+") OR "geriatric*"	Expanders - Apply equivalent subjects Search modes - Proximity	55,286
S2	(MH "Aged+")	Expanders - Apply equivalent subjects Search modes - Proximity	960,969
S1	"older adult*" or elderly or aged or senior*	Expanders - Apply equivalent subjects Search modes - Proximity	1,182,776

Database: EBM Reviews - Cochrane Central Register of Controlled Trials <October 2024>

Search Strategy:

- 1 older adult*.mp. (21470)
- 2 elderly.mp. or exp Aged/ (323923)
- 3 senior*.mp. (5690)
- 4 geriatric*.mp. or exp Geriatrics/ (11555)
- 5 gerontolog*.mp. (573)
- 6 older patient*.mp. (6712)
- 7 older people.mp. (5233)
- 8 1 or 2 or 3 or 4 or 5 or 6 or 7 (344486)
- 9 patient* discharge.mp. or exp Patient Discharge/ (3633)
- 10 discharge plan*.mp. (561)
- 11 hospital discharge.mp. (11085)
- 12 (transition* care or care transition*).mp. (1109)
- 13 (post discharge care or postdischarge care or post-discharge care).mp. (171)
- 14 9 or 10 or 11 or 12 or 13 (14557)
- 15 exp Counseling/ or counsel*.mp. (32378)
- 16 exp Patient Education as Topic/ (10919)
- 17 (patient educat* or patient teach*).mp. (17026)
- 18 exp Self Care/ or (self care or self-care).mp. (18699)
- 19 (family participat* or family involv*).mp. (445)
- 20 exp Risk Assessment/ or risk assessment*.mp. (36027)
- 21 exp Risk Factors/ or risk factor*.mp. (91783)
- 22 geriatric assess*.mp. or exp Geriatric Assessment/ (2896)

- 23 safe*.mp. or exp Safety/ (385557)
- 24 care plan*.mp. or exp Patient Care Planning/ (6005)
- 25 (social support* or family support*).mp. or exp Social Support/ (12148)
- 26 home care.mp. or exp Home Care Services/ (6709)
- 27 home nurs*.mp. or exp Home Nursing/ (793)
- 28 coping at home.mp. (0)
- 29 (activities of daily living or IADL or ADL).mp. or exp "Activities of Daily Living"/ (23670)
- 30 best practice*.mp. (3091)
- 31 exp Practice Guideline/ or exp Guideline/ or guideline*.mp. (61016)
- 32 "use of health and social services".mp. (31)
- 33 quality of life.mp. or exp "Quality of Life"/ (170667)
- 34 satisfaction.mp. (77003)
- 35 opinion*.mp. (9562)
- 36 contentment*.mp. (208)
- 37 exp Feedback/ or feedback.mp. (25901)
- 38 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 or 28 or 29 or 30 or 31 or 32 or 33 or 34 or 35 or 36 or 37 (766642)
- 39 8 and 14 and 38 (2780)
- 40 limit 39 to yr="2023 -Current" (190)

EBM Reviews - Cochrane Database of Systematic Reviews <2005 to November 20, 2024>

- 1 older adult*.mp. (521)
- 2 elderly.mp. (1319)
- 3 senior*.mp. (978)
- 4 geriatric*.mp. or exp Geriatrics/ (0)
- 5 gerontolog*.mp. (59)
- 6 older patient*.mp. (247)
- 7 older people.mp. (754)
- 8 1 or 2 or 3 or 4 or 5 or 6 or 7 (2750)
- 9 patient* discharge.mp. (66)
- 10 discharge plan*.mp. (41)
- 11 hospital discharge.mp. (647)
- 12 (transition* care or care transition*).mp. (28)
- 13 (post discharge care or postdischarge care or post-discharge care).mp. (14)
- 14 9 or 10 or 11 or 12 or 13 (710)
- 15 counsel*.mp. (1391)
- 16 (patient educat* or patient teach*).mp. (474)
- 17 (self care or self-care).mp. (506)
- 18 (family participat* or family involv*).mp. (46)
- 19 risk assessment*.mp. (329)
- 20 risk factor*.mp. (3033)
- 21 geriatric assess*.mp. (38)
- 22 safe*.mp. (6874)
- 23 care plan*.mp. (211)
- 24 (social support* or family support*).mp. (498)
- 25 home care.mp. (250)
- 26 home nurs*.mp. (52)
- 27 coping at home.mp. (0)

- 28 (activities of daily living or IADL or ADL).mp. (892)
- 29 best practice*.mp. (485)
- 30 guideline*.mp. (6676)
- 31 "use of health and social services".mp. (1)
- 32 quality of life.mp. (6108)
- 33 satisfaction.mp. (2511)
- 34 opinion*.mp. (4344)
- 35 contentment*.mp. (15)
- 36 feedback.mp. (2454)
- 37 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 or 28 or 29 or 30 or 31 or 32 or 33 or 34 or 35 or 36 (10403)
- 38 8 and 14 and 37 (200)
- 39 limit 38 to last 2 years (0)

Database: Ovid MEDLINE(R) ALL <1946 to November 26, 2024>**Search Strategy:**

- 1 older adult*.mp. (143040)
- 2 elderly.mp. or exp Aged/ (3693464)
- 3 senior*.mp. (56847)
- 4 geriatric*.mp. or exp Geriatrics/ (128023)
- 5 gerontolog*.mp. (9724)
- 6 older patient*.mp. (57422)
- 7 older people.mp. (44529)
- 8 1 or 2 or 3 or 4 or 5 or 6 or 7 (3820845)
- 9 patient* discharge.mp. or exp Patient Discharge/ (45035)
- 10 discharge plan*.mp. (4852)
- 11 hospital discharge.mp. (37745)
- 12 (transition* care or care transition*).mp. (6245)
- 13 (post discharge care or postdischarge care or post-discharge care).mp. (745)
- 14 9 or 10 or 11 or 12 or 13 (81523)
- 15 exp Counseling/ or counsel*.mp. (178827)
- 16 exp Patient Education as Topic/ (90027)
- 17 (patient educat* or patient teach*).mp. (113388)
- 18 exp Self Care/ or (self care or self-care).mp. (82624)
- 19 (family participat* or family involv*).mp. (4467)
- 20 exp Risk Assessment/ or risk assessment*.mp. (389442)
- 21 exp Risk Factors/ or risk factor*.mp. (1483412)
- 22 geriatric assess*.mp. or exp Geriatric Assessment/ (36902)
- 23 safe*.mp. or exp Safety/ (1339481)
- 24 care plan*.mp. or exp Patient Care Planning/ (85228)
- 25 (social support* or family support*).mp. or exp Social Support/ (123227)
- 26 home care.mp. or exp Home Care Services/ (69664)
- 27 home nurs*.mp. or exp Home Nursing/ (11224)
- 28 coping at home.mp. (23)
- 29 (activities of daily living or IADL or ADL).mp. or exp "Activities of Daily Living"/ (146720)
- 30 best practice*.mp. (43370)
- 31 exp Practice Guideline/ or exp Guideline/ or guideline*.mp. (666227)
- 32 "use of health and social services".mp. (81)
- 33 quality of life.mp. or exp "Quality of Life"/ (506397)
- 34 satisfaction.mp. (278160)
- 35 opinion*.mp. (159462)
- 36 contentment*.mp. (987)
- 37 exp Feedback/ or feedback.mp. (210088)
- 38 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 or 28 or 29 or 30 or 31 or 32 or

33 or 34 or 35 or 36 or 37 (4892210)
39 8 and 14 and 38 (17372)
40 limit 39 to yr="2023 -Current" (1408)
41 limit 40 to (english or finnish or swedish) (1389)

Database: APA PsycInfo <1806 to November 2024 Week 3>**Search Strategy:**

- 1 older adult*.mp. (80210)
- 2 elderly.mp. or exp Older Adulthood/ (92982)
- 3 senior*.mp. (34130)
- 4 geriatric*.mp. or exp Geriatric Patients/ or exp Geriatrics/ (53195)
- 5 exp Gerontology/ or gerontolog*.mp. (14075)
- 6 older patient*.mp. (6881)
- 7 older people.mp. (18709)
- 8 1 or 2 or 3 or 4 or 5 or 6 or 7 (207254)
- 9 patient* discharge.mp. (4046)
- 10 discharge plan*.mp. or exp Discharge Planning/ (1679)
- 11 hospital discharge.mp. or exp Hospital Discharge/ (7405)
- 12 (transition* care or care transition*).mp. (1517)
- 13 (post discharge care or postdischarge care or post-discharge care).mp. (118)
- 14 9 or 10 or 11 or 12 or 13 (11841)
- 15 exp Counseling/ or counsel*.mp. (170172)
- 16 (patient* educat* or patient* teach*).mp. (15262)
- 17 exp Self-Care/ or (self care or self-care).mp. (22631)
- 18 (family participat* or family involv*).mp. (4021)
- 19 exp Risk Assessment/ or risk assessment*.mp. (36556)
- 20 exp Risk Factors/ or risk factor*.mp. (217207)
- 21 geriatric assess*.mp. or exp Geriatric Assessment/ (8520)
- 22 safe*.mp. or exp Safety/ (174598)
- 23 care plan*.mp. or exp Treatment Planning/ (17066)
- 24 (social support* or family support*).mp. or exp Social Support/ (107760)
- 25 home care.mp. or exp Home Care/ (16117)
- 26 exp Nursing Homes/ or home nurs*.mp. (12777)
- 27 coping at home.mp. (7)
- 28 (activities of daily living or IADL or ADL).mp. or exp "Activities of Daily Living"/ (33433)
- 29 exp Best Practices/ or best practice*.mp. (23399)
- 30 exp Treatment Guidelines/ or guideline*.mp. (91566)
- 31 "use of health and social services".mp. (42)
- 32 quality of life.mp. or exp "Quality of Life"/ (116671)
- 33 exp Satisfaction/ or exp Client Satisfaction/ or satisfaction.mp. (170645)
- 34 opinion*.mp. (68142)
- 35 exp Contentment/ or contentment*.mp. (1357)
- 36 feedback.mp. or exp Feedback/ (117789)
- 37 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 or 28 or 29 or 30 or 31 or 32 or 33 or 34 or 35 or 36 (1175069)
- 38 8 and 14 and 37 (1220)
- 39 limit 38 to yr="2023 -Current" (81)
- 40 limit 39 to (english or finnish or swedish) (77)

Scopus-hakuhistoria

(TITLE-ABS-KEY ("older adult*" OR elderly OR senior* OR geriatric* OR gerontolog* OR "older patient*" OR "older people")) AND (TITLE-ABS-KEY ("patient* discharge" OR "discharge plan*" OR "hospital discharge" OR "transition* care" OR "care transition*" OR "post discharge care" OR "postdischarge care" OR "post-discharge care")) AND (TITLE-ABS-KEY (counsel* OR "patient educat*" OR "patient teach*" OR "self care" OR "self-care" OR "family participat*" OR "family involv*" OR "risk assessment*" OR "risk factor*" OR "geriatric assess*" OR safe* OR "care plan*" OR "social support*" OR "family support*" OR "home care" OR "home nurs*" OR "coping at home" OR "activities of daily living" OR iadl OR adl OR "best practice*" OR guideline* OR "use of health and social services" OR "life year saved" OR "life years gained" OR "quality adjusted life years" OR qaly OR "disability adjusted life years" OR daly OR "quality of life" OR satisfaction OR opinion* OR contentment* OR feedback)) AND NOT INDEX (medline) AND (LIMIT-TO (PUBYEAR , 2023) OR LIMIT-TO (PUBYEAR , 2024)) AND (LIMIT-TO (LANGUAGE , "English"))

Medic - hakuhistoria

iäkäs iäkkä* senior* vanh* older elderly AND kotiut* disharge 2023 - 2024 fi,en,sw 2 kpl

Tutkimuskysymys 3

Cinahl 27.11.2024

#	Query	Limiters/Expanders	Results
S28	S6 AND S12 AND S27	Limiters - Publication Date: 20230101-20241231; Exclude MEDLINE records; Language: English, Finnish, Swedish Expanders - Apply equivalent subjects Search modes - Proximity	137
S27	S13 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26	Expanders - Apply equivalent subjects Search modes - Proximity	176,947
S26	"cost-benefit*" or "cost benefit*" or costbenefit*	Expanders - Apply equivalent subjects Search modes - Proximity	40,595
S25	"cost utilit*" or "cost-utilit*" or costutilit*	Expanders - Apply equivalent subjects Search modes - Proximity	2,647
S24	"cost-effective*" or "cost effective*" or costeffective*	Expanders - Apply equivalent subjects Search modes - Proximity	51,416
S23	(MH "Cost Savings") OR "cost-savings"	Expanders - Apply equivalent subjects Search modes - Proximity	30,858
S22	"cost minimisation" or costminimisation or "cost-minimisation" or "cost minimization" or costminimization or "cost-minimization"	Expanders - Apply equivalent subjects Search modes - Proximity	513
S21	costconsequence* or "cost-consequence*" or "cost consequence"	Expanders - Apply equivalent subjects Search modes - Proximity	384
S20	"economic evidence"	Expanders - Apply equivalent subjects Search modes - Proximity	394
S19	"economic burden"	Expanders - Apply equivalent subjects Search modes - Proximity	6,029

S18	"economic evaluation"	Expanders - Apply equivalent subjects Search modes - Proximity	5,167
S17	"budget impact"	Expanders - Apply equivalent subjects Search modes - Proximity	1,000
S16	"cost analys*" OR (MH "Costs and Cost Analysis+")	Expanders - Apply equivalent subjects Search modes - Proximity	139,624
S15	"cost description"	Expanders - Apply equivalent subjects Search modes - Proximity	17
S14	"intervention cost"	Expanders - Apply equivalent subjects Search modes - Proximity	242
S13	(MH "Cost Benefit Analysis")	Expanders - Apply equivalent subjects Search modes - Proximity	38,206
S12	S7 OR S8 OR S9 OR S10 OR S11	Expanders - Apply equivalent subjects Search modes - Proximity	75,836
S11	(MH "After Care") OR "post discharge care" OR "postdischarge care" OR "post-discharge care"	Expanders - Apply equivalent subjects Search modes - Proximity	22,883
S10	"transition* care" or "care transition"	Expanders - Apply equivalent subjects Search modes - Proximity	6,990
S9	"hospital discharge"	Expanders - Apply equivalent subjects Search modes - Proximity	15,228
S8	(MH "Discharge Planning+") OR "discharge plan"	Expanders - Apply equivalent subjects Search modes - Proximity	7,550
S7	"patient* discharge" OR (MH "Patient Discharge+")	Expanders - Apply equivalent subjects Search modes - Proximity	39,451
S6	S1 OR S2 OR S3 OR S4 OR S5	Expanders - Apply equivalent subjects Search modes - Proximity	1,213,349
S5	"older patient*" or "older people"	Expanders - Apply equivalent subjects Search modes - Proximity	49,167
S4	"gerontolog"	Expanders - Apply equivalent subjects Search modes - Proximity	44,070
S3	(MH "Geriatrics+") OR "geriatric"	Expanders - Apply equivalent subjects Search modes - Proximity	55,286
S2	(MH "Aged+")	Expanders - Apply equivalent subjects Search modes - Proximity	960,969
S1	"older adult*" or elderly or aged or senior*	Expanders - Apply equivalent subjects Search modes - Proximity	1,182,776

Database: EBM Reviews - Cochrane Central Register of Controlled Trials <October 2024>

Search Strategy:

- 1 older adult*.mp. (21470)
- 2 elderly.mp. or exp Aged/ (323923)
- 3 senior*.mp. (5690)
- 4 geriatric*.mp. or exp Geriatrics/ (11555)
- 5 gerontolog*.mp. (573)
- 6 older patient*.mp. (6712)
- 7 older people.mp. (5233)
- 8 1 or 2 or 3 or 4 or 5 or 6 or 7 (344486)
- 9 patient discharge.mp. or exp Patient Discharge/ (3390)
- 10 discharge plan*.mp. (561)
- 11 hospital discharge.mp. (11085)
- 12 (transition* care or care transition*).mp. (1109)
- 13 (post discharge care or postdischarge care or post-discharge care).mp. (171)
- 14 9 or 10 or 11 or 12 or 13 (14356)
- 15 exp Cost-Benefit Analysis/ or intervention cost.mp. (11797)
- 16 cost description.mp. (5)

- 17 cost analys*.mp. or exp "Costs and Cost Analysis"/ (17878)
- 18 budget impact*.mp. (431)
- 19 economic evaluation.mp. (5432)
- 20 economic burden.mp. (1477)
- 21 economic evidence*.mp. (52)
- 22 ("cost minimisation" or costminimisation or "cost-minimisation" or "cost minimization" or costminimization or "cost-minimization").mp. (459)
- 23 (costconsequence* or cost-consequence* or cost consequence*).mp. (355)
- 24 cost-savings.mp. (3093)
- 25 ("cost-effective*" or "cost effective* or costeffective*").mp. (36685)
- 26 ("cost utilit*" or "cost-utilit*" or costutilit*).mp. (2869)
- 27 ("cost-benefit*" or "cost benefit* or costbenefit*").mp. (14536)
- 28 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 (50707)
- 29 8 and 14 and 28 (387)
- 30 limit 29 to yr="2023 -Current" (29)

Database: Ovid MEDLINE(R) ALL <1946 to November 26, 2024>**Search Strategy:**

- 1 older adult*.mp. (143040)
- 2 elderly.mp. or exp Aged/ (3693464)
- 3 senior*.mp. (56847)
- 4 geriatric*.mp. or exp Geriatrics/ (128023)
- 5 gerontolog*.mp. (9724)
- 6 older patient*.mp. (57422)
- 7 older people.mp. (44529)
- 8 1 or 2 or 3 or 4 or 5 or 6 or 7 (3820845)
- 9 patient discharge.mp. or exp Patient Discharge/ (44398)
- 10 discharge plan*.mp. (4852)
- 11 hospital discharge.mp. (37745)
- 12 (transition* care or care transition*).mp. (6245)
- 13 (post discharge care or postdischarge care or post-discharge care).mp. (745)
- 14 9 or 10 or 11 or 12 or 13 (80944)
- 15 exp Cost-Benefit Analysis/ or intervention cost.mp. (96564)
- 16 cost description.mp. (56)
- 17 cost analys*.mp. or exp "Costs and Cost Analysis"/ (279548)
- 18 budget impact*.mp. (2439)
- 19 economic evaluation.mp. (14653)
- 20 economic burden.mp. (18714)
- 21 economic evidence*.mp. (1130)
- 22 ("cost minimisation" or costminimisation or "cost-minimisation" or "cost minimization" or costminimization or "cost-minimization").mp. (1704)
- 23 (costconsequence* or cost-consequence* or cost consequence*).mp. (862)
- 24 cost-savings.mp. (27780)
- 25 ("cost-effective*" or "cost effective* or costeffective*").mp. (198958)
- 26 ("cost utilit*" or "cost-utilit*" or costutilit*).mp. (7040)
- 27 ("cost-benefit*" or "cost benefit* or costbenefit*").mp. (105568)
- 28 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 (449938)
- 29 8 and 14 and 28 (1933)
- 30 limit 29 to yr="2023 -Current" (96)
- 31 limit 30 to (english or finnish or swedish) (95)

Database: APA PsycInfo <1806 to November 2024 Week 3>**Search Strategy:**

- 1 older adult*.mp. (80210)
- 2 elderly.mp. or exp Older Adulthood/ (92982)
- 3 senior*.mp. (34130)
- 4 geriatric*.mp. or exp Geriatric Patients/ or exp Geriatrics/ (53195)
- 5 gerontolog*.mp. (14075)

- 6 older patient*.mp. (6881)
- 7 older people.mp. (18709)
- 8 1 or 2 or 3 or 4 or 5 or 6 or 7 (207254)
- 9 patient* discharge.mp. (4046)
- 10 discharge plan*.mp. or exp Discharge Planning/ (1679)
- 11 hospital discharge.mp. or exp Hospital Discharge/ (7405)
- 12 (transition* care or care transition*).mp. (1517)
- 13 (post discharge care or postdischarge care or post-discharge care).mp. (118)
- 14 9 or 10 or 11 or 12 or 13 (11841)
- 15 exp Health Care Costs/ (27226)
- 16 intervention cost.mp. (130)
- 17 cost description.mp. (2)
- 18 cost analys*.mp. or exp "Costs and Cost Analysis"/ (53373)
- 19 budget impact*.mp. (108)
- 20 economic evaluation.mp. (1960)
- 21 economic burden.mp. (1940)
- 22 economic evidence*.mp. (179)
- 23 ("cost minimisation" or costminimisation or "cost-minimisation" or "cost minimization" or costminimization or "cost-minimization").mp. (163)
- 24 (costconsequence* or cost-consequence* or cost consequence*).mp. (110)
- 25 cost-savings.mp. (2329)
- 26 ("cost-effective*" or "cost effective* or costeffective*").mp. (19412)
- 27 ("cost utilit*" or "cost-utilit*" or costutilit*).mp. (904)
- 28 ("cost-benefit*" or "cost benefit* or costbenefit*").mp. (8727)
- 29 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 or 28 (72788)
- 30 8 and 14 and 29 (109)
- 31 limit 30 to yr="2023 -Current" (9)
- 32 limit 31 to (english or finnish or swedish) (9)

Scopus-hakuhistoria tutkimuskysymys 3

(TITLE-ABS-KEY ("older adult*" OR elderly OR senior* OR geriatric* OR gerontolog* OR "older patient*" OR "older people")) AND (TITLE-ABS-KEY ("patient* discharge" OR "discharge plan*" OR "hospital discharge" OR "transition* care" OR "care transition*" OR "post discharge care" OR "postdischarge care" OR "post-discharge care")) AND (TITLE-ABS-KEY ("intervention cost" OR "cost description*" OR "cost analys*" OR "budget impact*" OR "economic evaluation*" OR "economic burden" OR "economic evidence*" OR "cost minimisation" OR costminimisation OR "cost-minimisation" OR "cost minimization" OR costminimization OR "cost-minimization" OR costconsequence* OR "cost-consequence*" OR "cost consequence*" OR "cost-savings" OR "cost-effective*" OR "cost effective*" OR costeffective* OR "cost utilit*" OR "cost-utilit*" OR costutilit* OR "cost-benefit*" OR "cost benefit*" OR costbenefit*)) AND NOT INDEX (medline) AND (LIMIT-TO (PUBYEAR , 2024) OR LIMIT-TO (PUBYEAR , 2023))

Ensimmäinen haku: tutkimuskysymykset 1–2

Cinahl 22.5.2023

#	Query	Limiters/Expanders	Results
S36	S6 AND S12 AND S35	Limiters - Published Date: 20180101-20231231; Exclude MEDLINE records; Language: English, Finnish, Swedish Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	3,364
S35	S13 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31 OR S32 OR S33 OR S34	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	2,015,225
S34	(MH "Feedback") OR "feedback"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	51,802
S33	"contentment*"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	7,425
S32	opinion*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	52,453
S31	(MH "Patient Satisfaction+") OR "satisfaction"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	160,979
S30	(MH "Quality of Life") OR "quality of life"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	235,154
S29	"use of health and social services"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	36
S28	"guideline*"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	237,915
S27	"best practice*"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	25,101
S26	(MH "Activities of Daily Living+") OR "activities of daily living" OR IADL OR ADL	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	87,108
S25	"coping at home"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	44
S24	(MH "Nursing Homes+") OR "home nurs*"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	33,991
S23	"home care"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	22,821
S22	"social support" OR "family support*" OR (MH "Support, Social+")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	113,500
S21	"care plan*" OR "treatment plan*"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	40,950
S20	(MH "Safety+") OR "safe*"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	485,447
S19	(MH "Geriatric Assessment+") OR "geriatric assess*"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	19,278

S18	(MH "Risk Factors+") OR "risk factor*"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	557,645
S17	(MH "Risk Assessment") OR "risk assessment*"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	155,540
S16	"family participat*" or "family involv*"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	2,055
S15	(MH "Self Care+") OR "self care" OR "self-care"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	76,088
S14	(MH "Patient Education+") OR "patient* educat*" OR "patient* teach*"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	89,180
S13	(MH "Counseling+") OR "counsel*"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	96,481
S12	S7 OR S8 OR S9 OR S10 OR S11	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	69,402
S11	(MH "After Care") OR "post discharge care" OR "postdischarge care" OR "post-discharge care"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	19,837
S10	"transition* care" or "care transition*"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	6,059
S9	"hospital discharge"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	14,712
S8	(MH "Discharge Planning+") OR "discharge plan*"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	7,268
S7	"patient* discharge" OR (MH "Patient Discharge+")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	36,620
S6	S1 OR S2 OR S3 OR S4 OR S5	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	1,190,216
S5	"older patient*" or "older people"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	50,273
S4	"gerontolog*"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	42,755
S3	(MH "Geriatrics+") OR "geriatric*"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	54,909
S2	(MH "Aged+")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	937,191
S1	"older adult*" or elderly or aged or senior*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	1,161,360

Database: EBM Reviews - Cochrane Central Register of Controlled Trials <April 2023>, EBM Reviews - Cochrane Database of Systematic Reviews <2005 to May 16, 2023>

Search Strategy:

- 1 older adult*.mp. (18240)
- 2 elderly.mp. or exp Aged/ (293222)

- 3 senior*.mp. (5869)
- 4 geriatric*.mp. or exp Geriatrics/ (10320)
- 5 gerontolog*.mp. (565)
- 6 older patient*.mp. (6114)
- 7 older people.mp. (5326)
- 8 1 or 2 or 3 or 4 or 5 or 6 or 7 (312841)
- 9 patient* discharge.mp. or exp Patient Discharge/ (2926)
- 10 discharge plan*.mp. (541)
- 11 hospital discharge.mp. (10591)
- 12 (transition* care or care transition*).mp. (940)
- 13 (post discharge care or postdischarge care or post-discharge care).mp. (165)
- 14 9 or 10 or 11 or 12 or 13 (13495)
- 15 exp Counseling/ or counsel*.mp. (28758)
- 16 exp Patient Education as Topic/ (9953)
- 17 (patient educat* or patient teach*).mp. (15977)
- 18 exp Self Care/ or (self care or self-care).mp. (16020)
- 19 (family participat* or family involv*).mp. (415)
- 20 exp Risk Assessment/ or risk assessment*.mp. (32515)
- 21 exp Risk Factors/ or risk factor*.mp. (81703)
- 22 geriatric assess*.mp. or exp Geriatric Assessment/ (2582)
- 23 safe*.mp. or exp Safety/ (339688)
- 24 care plan*.mp. or exp Patient Care Planning/ (5369)
- 25 (social support* or family support*).mp. or exp Social Support/ (10634)
- 26 home care.mp. or exp Home Care Services/ (6138)
- 27 home nurs*.mp. or exp Home Nursing/ (716)
- 28 coping at home.mp. (0)
- 29 (activities of daily living or IADL or ADL).mp. or exp "Activities of Daily Living"/ (21704)
- 30 best practice*.mp. (3109)
- 31 exp Practice Guideline/ or exp Guideline/ or guideline*.mp. (51616)
- 32 "use of health and social services".mp. (29)
- 33 quality of life.mp. or exp "Quality of Life"/ (143866)
- 34 satisfaction.mp. (67404)
- 35 opinion*.mp. (12634)
- 36 contentment*.mp. (194)
- 37 exp Feedback/ or feedback.mp. (22237)
- 38 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 or 28 or 29 or 30 or 31 or 32 or 33 or 34 or 35 or 36 or 37 (676354)
- 39 8 and 14 and 38 (2523)
- 40 limit 39 to yr="2018 -Current" (866)
- 41 limit 40 to (english or finnish or swedish) [Limit not valid in CDSR; records were retained] (855)

Ovid Medline 16.5.2023

Database: Ovid MEDLINE(R) ALL <1946 to May 15, 2023>**Search Strategy:**

- 1 older adult*.mp. (118589)
- 2 elderly.mp. or exp Aged/ (3526519)
- 3 senior*.mp. (51368)
- 4 geriatric*.mp. or exp Geriatrics/ (119453)
- 5 gerontolog*.mp. (8914)
- 6 older patient*.mp. (51156)
- 7 older people.mp. (39323)
- 8 1 or 2 or 3 or 4 or 5 or 6 or 7 (3639172)
- 9 patient* discharge.mp. or exp Patient Discharge/ (41408)
- 10 discharge plan*.mp. (4458)
- 11 hospital discharge.mp. (34371)
- 12 (transition* care or care transition*).mp. (5298)

- 13 (post discharge care or postdischarge care or post-discharge care).mp. (628)
- 14 9 or 10 or 11 or 12 or 13 (74305)
- 15 exp Counseling/ or counsel*.mp. (164324)
- 16 exp Patient Education as Topic/ (88594)
- 17 (patient educat* or patient teach*).mp. (108732)
- 18 exp Self Care/ or (self care or self-care).mp. (76963)
- 19 (family participat* or family involv*).mp. (3942)
- 20 exp Risk Assessment/ or risk assessment*.mp. (363781)
- 21 exp Risk Factors/ or risk factor*.mp. (1363903)
- 22 geriatric assess*.mp. or exp Geriatric Assessment/ (34484)
- 23 safe*.mp. or exp Safety/ (1184625)
- 24 care plan*.mp. or exp Patient Care Planning/ (81698)
- 25 (social support* or family support*).mp. or exp Social Support/ (113116)
- 26 home care.mp. or exp Home Care Services/ (66978)
- 27 home nurs*.mp. or exp Home Nursing/ (11079)
- 28 coping at home.mp. (23)
- 29 (activities of daily living or IADL or ADL).mp. or exp "Activities of Daily Living"/ (137464)
- 30 best practice*.mp. (36969)
- 31 exp Practice Guideline/ or exp Guideline/ or guideline*.mp. (594290)
- 32 "use of health and social services".mp. (80)
- 33 quality of life.mp. or exp "Quality of Life"/ (444982)
- 34 satisfaction.mp. (251791)
- 35 opinion*.mp. (145963)
- 36 contentment*.mp. (853)
- 37 exp Feedback/ or feedback.mp. (189788)
- 38 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 or 28 or 29 or 30 or 31 or 32 or 33 or 34 or 35 or 36 or 37 (4430598)
- 39 8 and 14 and 38 (16192)
- 40 limit 39 to yr="2018 -Current" (5179)
- 41 limit 40 to (english or finnish or swedish) (5093)

Database: APA PsycInfo <1806 to May Week 2 2023>

Search Strategy:

- 1 older adult*.mp. (70415)
- 2 elderly.mp. or exp Older Adulthood/ (83389)
- 3 senior*.mp. (32199)
- 4 geriatric*.mp. or exp Geriatric Patients/ or exp Geriatrics/ (50793)
- 5 exp Gerontology/ or gerontolog*.mp. (13596)
- 6 older patient*.mp. (6369)
- 7 older people.mp. (17172)
- 8 1 or 2 or 3 or 4 or 5 or 6 or 7 (192719)
- 9 patient* discharge.mp. (3871)
- 10 discharge plan*.mp. or exp Discharge Planning/ (1561)
- 11 hospital discharge.mp. or exp Hospital Discharge/ (6738)
- 12 (transition* care or care transition*).mp. (1303)
- 13 (post discharge care or postdischarge care or post-discharge care).mp. (106)
- 14 9 or 10 or 11 or 12 or 13 (10839)
- 15 exp Counseling/ or counsel*.mp. (162862)
- 16 (patient* educat* or patient* teach*).mp. (14799)
- 17 exp Self-Care/ or (self care or self-care).mp. (20815)
- 18 (family participat* or family involv*).mp. (3735)
- 19 exp Risk Assessment/ or risk assessment*.mp. (34490)
- 20 exp Risk Factors/ or risk factor*.mp. (200968)
- 21 geriatric assess*.mp. or exp Geriatric Assessment/ (8275)
- 22 safe*.mp. or exp Safety/ (136336)
- 23 care plan*.mp. or exp Treatment Planning/ (15797)
- 24 (social support* or family support*).mp. or exp Social Support/ (100112)
- 25 home care.mp. or exp Home Care/ (15144)

- 26 exp Nursing Homes/ or home nurs*.mp. (12039)
27 coping at home.mp. (7)
28 (activities of daily living or IADL or ADL).mp. or exp "Activities of Daily Living"/ (31813)
29 exp Best Practices/ or best practice*.mp. (21020)
30 exp Treatment Guidelines/ or guideline*.mp. (82998)
31 "use of health and social services".mp. (42)
32 quality of life.mp. or exp "Quality of Life"/ (106235)
33 exp Satisfaction/ or exp Client Satisfaction/ or satisfaction.mp. (157965)
34 opinion*.mp. (64165)
35 exp Contentment/ or contentment*.mp. (1269)
36 feedback.mp. or exp Feedback/ (89708)
37 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 or 28 or 29 or 30 or 31 or 32 or 33 or 34 or 35 or 36 (1057717)
38 8 and 14 and 37 (1116)
39 limit 38 to yr="2018 -Current" (283)
40 limit 39 to (english or finnish or swedish) (257)

Scopus: hakuhistoria – läkkään turvallinen kotiutuminen – Tutkimuskysymykset 1 ja 2

(TITLE-ABS-KEY ("older adult*" OR elderly OR senior* OR geriatric* OR gerontolog* OR "older patient*" OR "older people")) AND (TITLE-ABS-KEY ("patient* discharge" OR "discharge plan*" OR "hospital discharge" OR "transition* care" OR "care transition*" OR "post discharge care" OR "postdischarge care" OR "post-discharge care")) AND (TITLE-ABS-KEY (counsel* OR "patient educat*" OR "patient teach*" OR "self care" OR "self-care" OR "family participat*" OR "family involv*" OR "risk assessment*" OR "risk factor*" OR "geriatric assess*" OR safe* OR "care plan*" OR "social support*" OR "family support*" OR "home care" OR "home nurs*" OR "coping at home" OR "activities of daily living" OR iadl OR adl OR "best practice*" OR guideline* OR "use of health and social services" OR "life year saved" OR "life years gained" OR "quality adjusted life years" OR qaly OR "disability adjusted life years" OR daly OR "quality of life" OR satisfaction OR opinion* OR contentment* OR feedback)) AND NOT INDEX (medline) AND (LIMIT-TO (PUBYEAR , 2023) OR LIMIT-TO (PUBYEAR , 2022) OR LIMIT-TO (PUBYEAR , 2021) OR LIMIT-TO (PUBYEAR , 2020) OR LIMIT-TO (PUBYEAR , 2019) OR LIMIT-TO (PUBYEAR , 2018)) AND (LIMIT-TO (LANGUAGE , "English"))

Medic - hakuhistoria 22.5.2023

iäkäs iäkkä* senior* vanh* older elderly AND kotiut* disharge 2008 - 2023 fi,en,sw 33 kpl

Tutkimuskysymys 3

Cinahl 22.5.2023			
#	Query	Limiters/Expanders	Results
S28	S6 AND S12 AND S27	Limiters - Published Date: 20080101-20231231; Exclude MEDLINE records; Language: English,	471

		Finnish, Swedish Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	
S27	S13 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	168,818
S26	"cost-benefit*" or "cost benefit*" or costbenefit*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	40,107
S25	"cost utilit*" or "cost-utilit*" or costutilit*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	2,514
S24	"cost-effective*" or "cost effective*" or costeffective**	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	49,671
S23	(MH "Cost Savings") OR "cost-savings"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	29,312
S22	"cost minimisation" or costminimisation or "cost-minimisation" or "cost minimization" or costminimization or "cost-minimization"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	498
S21	costconsequence* or "cost-consequence*" or "cost consequence**"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	357
S20	"economic evidence**"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	372
S19	"economic burden"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	5,437
S18	"economic evaluation"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	4,909
S17	"budget impact**"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	938
S16	"cost analys*" OR (MH "Costs and Cost Analysis+")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	132,551
S15	"cost description"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	18
S14	"intervention cost"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	234
S13	(MH "Cost Benefit Analysis")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	38,235
S12	S7 OR S8 OR S9 OR S10 OR S11	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	69,402
S11	(MH "After Care") OR "post discharge care" OR "postdischarge care" OR "post-discharge care"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	19,837
S10	"transition* care" or "care transition**"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	6,059

S9	"hospital discharge"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	14,712
S8	(MH "Discharge Planning+") OR "discharge plan*"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	7,268
S7	"patient* discharge" OR (MH "Patient Discharge+")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	36,620
S6	S1 OR S2 OR S3 OR S4 OR S5	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	1,190,216
S5	"older patient*" or "older people"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	50,273
S4	"gerontolog*"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	42,755
S3	(MH "Geriatrics+") OR "geriatric*"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	54,909
S2	(MH "Aged+")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	937,191
S1	"older adult*" or elderly or aged or senior*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	1,161,360

Database: EBM Reviews - Cochrane Central Register of Controlled Trials <April 2023>, EBM Reviews - Cochrane Database of Systematic Reviews <2005 to May 16, 2023>

Search Strategy:

- 1 older adult*.mp. (18240)
- 2 elderly.mp. or exp Aged/ (293222)
- 3 senior*.mp. (5869)
- 4 geriatric*.mp. or exp Geriatrics/ (10320)
- 5 gerontolog*.mp. (565)
- 6 older patient*.mp. (6114)
- 7 older people.mp. (5326)
- 8 1 or 2 or 3 or 4 or 5 or 6 or 7 (312841)
- 9 patient discharge.mp. or exp Patient Discharge/ (2712)
- 10 discharge plan*.mp. (541)
- 11 hospital discharge.mp. (10591)
- 12 (transition* care or care transition*).mp. (940)
- 13 (post discharge care or postdischarge care or post-discharge care).mp. (165)
- 14 9 or 10 or 11 or 12 or 13 (13317)
- 15 exp Cost-Benefit Analysis/ or intervention cost.mp. (10165)
- 16 cost description.mp. (14)
- 17 cost analys*.mp. or exp "Costs and Cost Analysis"/ (15707)
- 18 budget impact*.mp. (345)
- 19 economic evaluation.mp. (5194)
- 20 economic burden.mp. (1591)
- 21 economic evidence*.mp. (118)
- 22 ("cost minimisation" or costminimisation or "cost-minimisation" or "cost minimization" or costminimization or "cost-minimization").mp. (462)
- 23 (costconsequence* or cost-consequence* or cost consequence*).mp. (324)
- 24 cost-savings.mp. (2981)
- 25 ("cost-effective*" or "cost effective*" or costeffective*).mp. (34522)

- 26 ("cost utilit*" or "cost-utilit*" or costutilit*).mp. (2623)
- 27 ("cost-benefit*" or "cost benefit*" or costbenefit*).mp. (12999)
- 28 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 (47745)
- 29 8 and 14 and 28 (420)
- 30 limit 29 to yr="2008 -Current" (286)
- 31 limit 30 to (english or finnish or swedish) [Limit not valid in CDSR; records were retained] (284)

Database: Ovid MEDLINE(R) ALL <1946 to May 04, 2023>**Search Strategy:**

- 1 older adult*.mp. (118153)
- 2 elderly.mp. or exp Aged/ (3524839)
- 3 senior*.mp. (51293)
- 4 geriatric*.mp. or exp Geriatrics/ (119346)
- 5 gerontolog*.mp. (8895)
- 6 older patient*.mp. (51039)
- 7 older people.mp. (39224)
- 8 1 or 2 or 3 or 4 or 5 or 6 or 7 (3637321)
- 9 patient discharge.mp. or exp Patient Discharge/ (40760)
- 10 discharge plan*.mp. (4443)
- 11 hospital discharge.mp. (34302)
- 12 (transition* care or care transition*).mp. (5275)
- 13 (post discharge care or postdischarge care or post-discharge care).mp. (626)
- 14 9 or 10 or 11 or 12 or 13 (73631)
- 15 exp Cost-Benefit Analysis/ or intervention cost.mp. (92509)
- 16 cost description.mp. (50)
- 17 cost analys*.mp. or exp "Costs and Cost Analysis"/ (268200)
- 18 budget impact*.mp. (2030)
- 19 economic evaluation.mp. (12949)
- 20 economic burden.mp. (15745)
- 21 economic evidence*.mp. (849)
- 22 ("cost minimisation" or costminimisation or "cost-minimisation" or "cost minimization" or costminimization or "cost-minimization").mp. (1570)
- 23 (costconsequence* or cost-consequence* or cost consequence*).mp. (764)
- 24 cost-savings.mp. (25976)
- 25 ("cost-effective*" or "cost effective*" or costeffective*).mp. (172528)
- 26 ("cost utilit*" or "cost-utilit*" or costutilit*).mp. (6279)
- 27 ("cost-benefit*" or "cost benefit*" or costbenefit*).mp. (100629)
- 28 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 (411469)
- 29 8 and 14 and 28 (1853)
- 30 limit 29 to yr="2008 -Current" (1277)
- 31 limit 30 to (english or finnish or swedish) (1251)

Database: APA PsycInfo <1806 to May Week 2 2023>**Search Strategy:**

- 1 older adult*.mp. (70415)
- 2 elderly.mp. or exp Older Adulthood/ (83389)
- 3 senior*.mp. (32199)
- 4 geriatric*.mp. or exp Geriatric Patients/ or exp Geriatrics/ (50793)
- 5 gerontolog*.mp. (13596)
- 6 older patient*.mp. (6369)
- 7 older people.mp. (17172)
- 8 1 or 2 or 3 or 4 or 5 or 6 or 7 (192719)
- 9 patient* discharge.mp. (3871)
- 10 discharge plan*.mp. or exp Discharge Planning/ (1561)
- 11 hospital discharge.mp. or exp Hospital Discharge/ (6738)
- 12 (transition* care or care transition*).mp. (1303)
- 13 (post discharge care or postdischarge care or post-discharge care).mp. (106)
- 14 9 or 10 or 11 or 12 or 13 (10839)

- 15 exp Health Care Costs/ (25454)
- 16 intervention cost.mp. (112)
- 17 cost description.mp. (2)
- 18 cost analys*.mp. or exp "Costs and Cost Analysis"/ (50056)
- 19 budget impact*.mp. (98)
- 20 economic evaluation.mp. (1744)
- 21 economic burden.mp. (1732)
- 22 economic evidence*.mp. (158)
- 23 ("cost minimisation" or costminimisation or "cost-minimisation" or "cost minimization" or costminimization or "cost-minimization").mp. (150)
- 24 (costconsequence* or cost-consequence* or cost consequence*).mp. (99)
- 25 cost-savings.mp. (2188)
- 26 ("cost-effective*" or "cost effective*" or costeffective*).mp. (17888)
- 27 ("cost utilit*" or "cost-utilit*" or costutilit*).mp. (800)
- 28 ("cost-benefit*" or "cost benefit*" or costbenefit*).mp. (8441)
- 29 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 or 28 (67887)
- 30 8 and 14 and 29 (100)
- 31 limit 30 to yr="2008 -Current" (65)
- 32 limit 31 to (english or finnish or swedish) (63)

Scopus: hakuhistoria -läikkään turvallinen kotituminen - Tutkimuskysymys 3

(TITLE-ABS-KEY ("older adult*" OR elderly OR senior* OR geriatric* OR gerontolog* OR "older patient*" OR "older people")) AND (TITLE-ABS-KEY ("patient* discharge" OR "discharge plan*" OR "hospital discharge" OR "transition* care" OR "care transition*" OR "post discharge care" OR "postdischarge care" OR "post-discharge care")) AND (TITLE-ABS-KEY ("intervention cost" OR "cost description*" OR "cost analys*" OR "budget impact*" OR "economic evaluation*" OR "economic burden" OR "economic evidence*" OR "cost minimisation" OR costminimisation OR "cost-minimisation" OR "cost minimization" OR costminimization OR "cost-minimization" OR costconsequence* OR "cost-consequence*" OR "cost consequence*" OR "cost-savings" OR "cost-effective*" OR "cost effective*" OR costeffective* OR "cost utilit*" OR "cost-utilit*" OR costutilit* OR "cost-benefit*" OR "cost benefit*" OR costbenefit*)) AND NOT INDEX (medline) AND (LIMIT-TO (PUBYEAR , 2023) OR LIMIT-TO (PUBYEAR , 2022) OR LIMIT-TO (PUBYEAR , 2021) OR LIMIT-TO (PUBYEAR , 2020) OR LIMIT-TO (PUBYEAR , 2019) OR LIMIT-TO (PUBYEAR , 2018) OR LIMIT-TO (PUBYEAR , 2017) OR LIMIT-TO (PUBYEAR , 2016) OR LIMIT-TO (PUBYEAR , 2015) OR LIMIT-TO (PUBYEAR , 2014) OR LIMIT-TO (PUBYEAR , 2013) OR LIMIT-TO (PUBYEAR , 2012) OR LIMIT-TO (PUBYEAR , 2011) OR LIMIT-TO (PUBYEAR , 2010) OR LIMIT-TO (PUBYEAR , 2009) OR LIMIT-TO (PUBYEAR , 2008)) AND (LIMIT-TO (LANGUAGE , "English"))